

TEJIDO NO TEJIDO
NON WOVEN



COMPOSICIÓN: CELULOSA

ACABADO: MATE

COMPOSITION: CELLULOSE

FINISH: MATT

BASE: TEJIDO NO TEJIDO

TEXTURA: LISO

BASE: NON WOVEN

TEXTURE: SMOOTH

HECHO A MEDIDA - MADE TO MEASURE



50 CM ANCHO PANEL

19.7" PANEL WIDTH



150 GR/M² GRAMAJE
6.33 OZ/YD² WEIGHT



0.35 MM GROSOR
0.014" THICKNESS



NO SUPERPONER
NO OVERLAPPING



RESISTENCIA A LA LUZ
LIGHT FASTNESS



RESISTENCIA AL FUEGO
FLAME RESISTANCE
BS1-D0
ASTM E84 CLASS A



LAVABLE
WASHABLE



RETIRABLE EN SECO
EASY TO REMOVE



ENCOLAR LA PARED
PASTE THE WALL



COLA CELULÓSICA
CELLULOSE GLUE



Coordonné

VINÍLICO
VINYL



COMPOSICIÓN: CELULOSA + PVC

ACABADO: SEMI-MATE

COMPOSITION: CELLULOSE + PVC

FINISH: HALF-MATT

BASE: TEJIDO NO TEJIDO

TEXTURA: LIENZO IRREGULAR

BASE: NON WOVEN

TEXTURE: IRREGULAR CANVAS

HECHO A MEDIDA - MADE TO MEASURE



50 CM ANCHO PANEL

19.7" PANEL WIDTH



380 GR/M² GRAMAJE
16 OZ/YD² WEIGHT



0.5 MM GROSOR
0.02" THICKNESS



NO SUPERPONER
NO OVERLAPPING



RESISTENCIA A LA LUZ
LIGHT FASTNESS



RESISTENCIA AL FUEGO
FLAME RESISTANCE
BS2-D0
ASTM E84 CLASS A



EXTRA LAVABLE
EXTRA WASHABLE



RETIRABLE EN SECO
EASY TO REMOVE



ENCOLAR LA PARED
PASTE THE WALL



COLA CELULÓSICA
CELLULOSE GLUE



Coordonné



COMPOSICIÓN: CELULOSA

ACABADO: BRILLO

COMPOSITION: CELLULOSE

FINISH: SHINY

BASE: TEJIDO NO TEJIDO

TEXTURA: LISO

BASE: NON WOVEN

TEXTURE: SMOOTH

HECHO A MEDIDA - MADE TO MEASURE



100 CM ANCHO PANEL

39,4" PANEL WIDTH



260 GR/M² GRAMAJE
6.33 OZ/YD² WEIGHT



0.35 MM GROSOR
0.014" THICKNESS



NO SUPERPONER
NO OVERLAPPING



RESISTENCIA A LA LUZ
LIGHT FASTNESS



RESISTENCIA AL FUEGO
FLAME RESISTANCE
BS1-D0
ASTM E84 CLASS A



LAVABLE
WASHABLE



RETIRABLE EN SECO
EASY TO REMOVE



ENCOLAR LA PARED
PASTE THE WALL



COLA CELULÓSICA
CELLULOSE GLUE



Coordonné

SILVER

S

COMPOSICIÓN: CELULOSA

ACABADO: BRILLO

COMPOSITION: CELLULOSE

FINISH: SHINY

BASE: TEJIDO NO TEJIDO

TEXTURA: LISO

BASE: NON WOVEN

TEXTURE: SMOOTH

HECHO A MEDIDA - MADE TO MEASURE



100 CM ANCHO PANEL
39,4" PANEL WIDTH



260 GR/M² GRAMAJE
6.33 OZ/YD² WEIGHT



0.35 MM GROSOR
0.014" THICKNESS



NO SUPERPONER
NO OVERLAPPING



RESISTENCIA A LA LUZ
LIGHT FASTNESS



RESISTENCIA AL FUEGO
FLAME RESISTANCE
BSI-D0
ASTM E84 CLASS A



LAVABLE
WASHABLE



RETIRABLE EN SECO
EASY TO REMOVE



ENCOLAR LA PARED
PASTE THE WALL



COLA CELULÓSICA
CELLULOSE GLUE



Coordonné

LINEN
LINO

COMPOSICIÓN: LINO

ACABADO: MATE

COMPOSITION: LINEN

FINISH: MATT

BASE: NON WOVEN

TEXTURA: TEXTIL

BASE: NON WOVEN

TEXTURE: TEXTILE

HECHO A MEDIDA - MADE TO MEASURE



140 CM ANCHO PANEL

55,12" PANEL WIDTH



225 GR/M² GRAMAJE
7,93 OZ/YD² WEIGHT



MM GROSOR
" THICKNESS



NO SUPERPONER
NO OVERLAPPING



RESISTENCIA A LA LUZ MODERADA
LIGHT FASTNESS



POCO LAVABLE
LESS WASHABLE



COLA CELULÓSICA
CELLULOSE GLUE



RETIRABLE EN SECO
EASY TO REMOVE



ENCOLAR LA PARED
PASTE THE WALL

DISPONIBLE EN CALIDAD IGNÍFUGA
AVAILABLE IN FIRE RESISTANT BASE

Coordonné

SILK
SEDA

SK

COMPOSICIÓN: SEDA

ACABADO: BRILLO

COMPOSITION: SILK

FINISH: SHINY

BASE: NON WOVEN

TEXTURA: TEXTIL

BASE: NON WOVEN

TEXTURE: TEXTILE

HECHO A MEDIDA - MADE TO MEASURE



130 CM ANCHO PANEL

51,18" PANEL WIDTH



350 GR/M² GRAMAJE
12,3 OZ/YD² WEIGHT



0,8 MM GROSOR
0,03" THICKNESS



NO SUPERPONER
NO OVERLAPPING



RESISTENCIA A LA LUZ MODERADA
LIGHT FASTNESS



POCO LAVABLE
LESS WASHABLE



COLA CELULÓSICA
CELLULOSE GLUE



RETIRABLE EN SECO
EASY TO REMOVE



ENCOLAR LA PARED
PASTE THE WALL

Coordonné